

0/

ORDINANCE NO. F-0074

AN ORDINANCE AMENDING
CHAPTER 22, BUILDING REGULATIONS
OF THE WHEATON CITY CODE

BE IT ORDAINED by the City Council of the City of Wheaton, DuPage County, Illinois, pursuant to its home rule powers, as follows:

Section 1: That Section 22-32(f), Section 2606.4, Chapter 22, Article 3 is deleted in its entirety and is hereby amended as follows:

Section 2606.4, Elevator Service for New and Existing Structures, is added to read as follows: "Section 2606.4, Elevator Service for New and Existing Structures: In all new structures where elevator service is provided at least one (1) elevator shall be provided with a minimum distance between walls, or between wall and door excluding return panels, of not less than eighty (80) inches by fifty-four (54) inches and a minimum distance from wall to return panels of not less than fifty-one (51) inches, with a forty-two (42) inch side-slide door to allow for turning a wheelchair or accommodating an ambulance stretcher in a horizontal position. For all existing structures where no elevator service is provided and elevator service is desirable, all elevators shall conform to the applicable provisions of ASME A17.1 listed in Appendix A."


Section 2: All ordinances or parts of ordinances in conflict with these provisions are repealed.

Section 3: This ordinance shall become effective from and after its passage, approval, and publication in pamphlet form in the manner prescribed by law.



Mayor Carr

ATTEST:



Emily M. Connelly
City Clerk

Ayes:

Roll Call Vote:
Councilman Eckhoff
Mayor Carr

Councilman Gresk
Councilwoman Johnson
Councilman Mork
Councilman Gerig

Nays: None

Absent: Councilwoman Davenport

Motion Carried Unanimously

Passed: November 18, 1996

Published: November 19, 1996